



中国国家强制性产品认证证书

证书编号: 2016010902925209

委托人名称、地址

纬创资通股份有限公司
台湾新北市汐止区新台五路一段88号21楼

生产者(制造商)名称、地址

联想(北京)有限公司
北京市海淀区上地信息产业基地创业路6号

生产企业名称、地址

纬创资通(昆山)有限公司
江苏省昆山综合保税区第一大道

产品名称和系列、规格、型号

便携式计算机

ThinkPad T570xxxxxxxx;ThinkPad P51sxxxxxxxx (规定型号:TP00085A) (x 代表0-9, a-z, A-Z, “-” 或空白, 仅为销售不同的客户, 不影响产品的安全和电磁兼容性能)规格: 20VDC, 2.25A 或 3.25A (电源适配器见附件)

产品标准和技术要求

GB4943.1-2011; GB9254-2008; GB17625.1-2012

上述产品符合强制性产品认证实施规则
CNCA-C09-01:2014的要求, 特发此证。

发证日期: 2016年12月05日

有效期至: 2021年12月05日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书的相关信息可通过国家认监委网站www.cnca.gov.cn查询



主任:

中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>



Q 1497071



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

No. : 2016010902925209

NAME AND ADDRESS OF THE APPLICANT

Wistron Corporation.
21F., No.88, Sec. 1, Hsintai 5th Rd., Hsichih, New Taipei City 22181,
Taiwan

NAME AND ADDRESS OF THE MANUFACTURER

Lenovo (Beijing) Limited
No.6 Chuang Ye Road, Shangdi Information Industry Base, Haidian District,
Beijing, China

NAME AND ADDRESS OF THE FACTORY

Wistron InfoComm(Kunshan) Co., Ltd.
First Avenue, Kunshan Integrated Free Trade Zone, Kunshan, Jiangsu, China

NAME, MODEL AND SPECIFICATION

Notebook Computer

ThinkPad T570xxxxxxxx;ThinkPad P51sxxxxxxxx (规定型号: TP00085A) (x 代表
0-9, a-z, A-Z, "-" 或空白, 仅为销售不同的客户, 不影响产品的安全和电磁
兼容性能): 20VDC, 3.25A或2.25A (电源适配器见附件)

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB4943.1-2011;GB9254-2008;GB17625.1-2012

This is to certify that the above mentioned products have met the
requirements of implementation rules for compulsory certification(REF
NO. CNCA-C09-01:2014).

Date of issue: Dec.05,2016 Date of expiry: Dec.05,2021

Validity of this certificate is subject to positive result of the regular
follow up inspection by issuing certification body until the expiry date.

This certificate can be verified through CNCA's website: www.cnca.gov.cn



President:

Wang Kejiao



CHINA QUALITY CERTIFICATION CENTRE

Section 9, No.188, Nansihuan Xilu, Beijing 100070 P.R.China

<http://www.cqc.com.cn>

Q 1497071



中国国家强制性产品认证证书

附录:

第 1 页 共 4 页

证书编号: 2016010902925209

纸号: 1497071

电源适配器:

ADLX45NDC3A (内部型号: 45N0289; 零售型号: 45N0290), ADLX45NDC3A(内部型号: SA10E75789, ; 零售型号: 00HM611), ADP-45TD B	输入: 100-240VAC 50-60Hz 1.2A 输出: 20VDC 2.25A (不带电线组件销售, 仅适用于热带和海拔 5000 米及以下)
PA-1450-12XX (X =A-Z, 0-9 或空白), ADLX45NLC3* (*=B-Z, 0-9 或空白) (变量 X 与*只是用来区别销售客户, 不影响安全和电磁兼容), ADLX45NLC3A, (内部系统辨识料号: 36200246, 45N0293, 45N0294, 45N0491, 5A10J75117, 5A10G18707, SA10J20125, 54Y8994))	输入: 100-240Vac, 50-60Hz, 1.3A 输出: 20Vdc/2.25 A (产品销售时不配备电源线组件, 仅适用于海拔 5000 米及以下)
ADLX45NCC3. ("."代表 B-Z, 0-9 或空格, 仅代表市场销售型号, 不影响产品的安全和电磁兼容性。) (内部型号: 36200247, 45N0297; 零售型号: 45N0298)、ADLX45NCC3A(内部型号: 36200247, 36200610, 45N0297, SA10E75793; 零售型号: 45N0298, 45N0492, 00HM615, China Option PN : 4X20E75108)	输入: 100-240VAC 50-60Hz 1.3A 输出: 20VDC 2.25A(仅适用于海拔 5000 米及以下) (不带电线组件销售)
ADLX65NC.3A ("." 代表 C, G, T, N and P 用来区分销售客户, 不影响安全与电磁兼容性) (内部型号: 36200253, 45N0261, 36200292, 45N0321; 零售型号: 45N0262, 45N0322, 45N0497, 45N0510)	输入: 100-240Vac, 50-60Hz, 1.8A ; 输出: 20Vdc, 3.25A (不配带电线组件销售) (仅适用于海拔 5000 米及以下)
1. 型号 ADLX65NDC3A(内部型号: 45N0253; 零售型号: 45N0254; 内部型号: 36200249) 2. 型号 ADLX65NDT3A(内部型号: 45N0313; 零售型号: 45N0314; 内部型号: 36200288) 3. ADP-65FD B	输入: 100-240VAC, 50-60Hz, 1.5A 输出: 20VDC 3.25A(本产品不配备电线组件销售, 仅适用于海拔 5000m 及以下地区使用)

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国 · 北京 · 南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 2 页 共 4 页

证书编号: 2016010902925209

纸号: 1497071

1) ADP-65XB A (内部型号: 36200124, 45N0265 零售型号: 045N0266); 2) ADLX65SDC2A (内部型号: 36200350, 45N0357 零售型号: 45N0358); 3) ADP-65XB A (内部型号: 36200396)	输入: 100-240VAC 50-60Hz 1.5A 输出: 20VDC 3.25A 不带电线组件销售, 仅适用于海拔 5000 米及以下
ADLX65NL*3* (变量*可以为任意字符或空白, 用来区分销售客户, 不影响安全与电磁兼容)、 PA-1650-72 (内部型号: 36200251, 36200290, 45N0257, 45N0317, 5A10J75114, 5A10J40449, SA10J20136, SA10A33639; 零售型号: 45N0258, 45N0318, 45N0495, 45N0508, 54Y8999, 54Y8958)、PA-1650-72 (商标: NEC)	输入: 100-240VAC 50-60Hz 1.8A 输出: 20VDC 3.25A, 不带电线组件销售, 仅适用于海拔 5000 米及以下
PA-1650-37XX (X 代表 0-9, A-Z 或空格, 只是区别销售客户, 不影响产品的安全和电磁兼容) (Lenovo 内部系统辨识料号: 45N0267, 36200235, 45N0278, 5A10J75113, 45N0257, 45N0258); ADLX65SLC2A (Lenovo 内部系统辨识料号: 36200351, 45N0359, 45N0360, 0A65802, 45N0544, 45N0489, 5A10J75113, 45N0257, 45N0258)	输入: 100-240Vac, 50-60Hz, 2.0A 输出: 20Vdc, 3.25A (不带电线组件销售): 仅适用于海拔 5000 米及以下)
ADLX45DLC2* (* 代表任意字符或者是空白, 仅用于区分销售型号, 不影响安全和电磁兼容性) PA-1450-17XX (X 代表任意字符或者是空白, 仅用于区分销售型号, 不影响安全和电磁兼容性) SA10E75792, 00HM614	输入: 100-240Vac, 1.3A, 50-60Hz; 输出: DC 20V/ 2.25A (不带电线组件销售, 仅适用于海拔 5000 米及以下)
ADLX45DLC3* (*代表任意字符或者是空白, 仅用于区分销售型号, 不影响安全和电磁兼容)	电气规格: 100-240V~, 50-60Hz 1.3A; 输出: DC 20V 2.25A (不带电线组件销售, 仅适用于海拔 5000

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 3 页 共 4 页

证书编号: 2016010902925209

纸号: 1497071

性);PA-1450-18XX(X代表任意字符或者是空白,仅用于区分销售型号,不影响安全和电磁兼容性);4X20E75107;4X20E75108;(LC PN: 5A10H03910, SA10M42529; LENOVO PN: SA10M42816;LI PN: SA10E75791; LC FRU P/N:01FR035;FRU PN: 00HM613, 01FR045)	米及以下)
ADE011, ADLX45NAC3A (LI P/N(内部型号): SA10E75802, FRU P/N(零售型号): 00HM624, China Option PN(中国用零售型号): 4X20E75108)	输入: 100-240V~ 1.2A 50-60Hz 输出: 20V, 2.25A 45W MAX (不带电线组件销售, 仅适用于海拔高度 5000m 及以下使用)
ADE011, ADLX45NAC3A (LI P/N(内部型号): SA10E75802, FRU P/N(零售型号): 00HM624, China Option PN(中国用零售型号): 4X20E75108)	输入: 100-240V~ 1.2A 50-60Hz 输出: 20V, 2.25A 45W MAX (不带电线组件销售, 仅适用于海拔高度 5000m 及以下使用)
FSP065-FCMN2	输入: AC 100-240V, 50-60Hz, 1.5A; 输出: DC 20V, 3.25A (本产品销售时配带可拆卸插头, 仅适用于海拔 5000 米及以下)
1) ADG011; 2) ADLX45YAC3A (China Option P/N(中国用零售型号): 4X20M26265)	输入: 100-240V~, 50-60Hz, 1.2A; 输出: DC 5V/2.0A, 9V/2.0A, 15V/3.0A, 20V/2.25A (产品销售时不配电线组件, 仅适用于海拔 5000 米及以下)
ADG017; ADLX65YAC3A	输入: 100-240V~, 50-60Hz, 1.8A; 输出: DC 5V/2.0A, 9V/2.0A, 15V/3.0A, 20V/3.25A (产品销售时不配电线组件, 仅适用于海拔 5000 米及以下)
ADLX45YCC3A (China Option PN: 4X20M26265)	输入: 100-240Vac, 50-60Hz, 1.3A 直流输出: 2A, 5V 或 2A, 9V 或 3A, 15V 或 2.25A, 20V (仅适用于海拔 5000 米及以下, 不带电线组件销售)
ADLX65YCC3A (China Option PN: 4X20M26281)	输入: 100-240V ~ 1.8A 50-60Hz, 输

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>





中国国家强制性产品认证证书

附录:

第 4 页 共 4 页

证书编号: 2016010902925209

纸号: 1497071

	出:5Vdc, 2A/9Vdc, 2A/15Vdc, 3A/20Vdc, 3. 25A (仅适用于海拔 5000 米及以下)
ADLX45YDC3A	输入: 100-240VAC 50-60Hz 1.2A 输出: 20VDC, 2.25A 或 15VDC, 3A 或 9VDC, 2A 或 5VDC, 2A (产品销售时不配备电线组件, 仅适用于海拔 5000 米及以下)
ADLX65YDC3A, ADP-65UD B;	输入: 100-240VAC 50-60Hz 1.8A 输出: 20VDC, 3.25A 或 15VDC, 3A 或 9VDC, 2A 或 5VDC, 2A (产品销售时不配备电线组件, 仅适用于海拔 5000 米及以下)
ADLX45YLC3A, 4X20M26265, PA-1450-34YX(Y=A-Z, 空白或“-”; X=0-9, A-Z, 空白或“-”, 仅用于区分销售型号, 不影响安全和电磁兼容性能) (LENOVO P/N: SA10E75841, FRU P/N: 00HM663)	输入: 100-240Vac, 50-60Hz, 1.3A 输出: 20Vdc, 2.25A 或 15Vdc, 3A 或 9Vdc, 2A 或 5Vdc, 2A (不带电线组件销售, 仅适用于海拔 5000 米及以下)
PA-1650-46, ADLX65YLC3A (LENOVO P/N: SA10M13945, FRU P/N: 01FR024, P/N: 4X20M26281)	输入: 100-240Vac, 50-60Hz, 1.8A ; 输出: 20Vdc, 3.25A 或 15Vdc, 3A 或 9Vdc, 2A 或 5Vdc, 2A (不带电线组件销售, 仅适用于海拔 5000 米及以下)

注: 此附录与证书同时使用时有效。



主任:

中国质量认证中心

中国·北京·南四环西路 188 号 9 区 100070

<http://www.cqc.com.cn>

